




Aluminium Alloy Tube 6061, 6082 T6, 6063 T52

Temper: H116 | H321 | H111 | H112

Certified to: ASTM B928 (G66/G67 Tested) with ABS, BV, DNV
and LR Cert.



THICKNESS	WIDTH	LENGTH	KGS/MTR
3.0mm	19.05mm	6000mm	0.41
	25.40mm	6000mm	0.557
	31.75mm	6000mm	0.713
	38.10mm	6000mm	0.898
	44.45mm	6000mm	1.059
	50.80mm	6000mm	1.183
	63.50mm	6000mm	1.547
	76.20mm	6000mm	1.872
4.5mm	88.90mm	6000mm	2.199
	101.6mm	6000mm	2.52
	114.3mm	6000mm	2.845
	127.0mm	6000mm	3.17
	25.40mm	6000mm	0.801
	31.75mm	6000mm	1.043
	38.10mm	6000mm	1.289
	44.45mm	6000mm	1.531
6.0mm	50.80mm	6000mm	1.777
	63.50mm	6000mm	2.262
	76.20mm	6000mm	2.748
	88.90mm	6000mm	3.328
	101.6mm	6000mm	3.723
	25.40mm	6000mm	0.992
	31.75mm	6000mm	1.318
	38.10mm	6000mm	1.619

THICKNESS	WIDTH	LENGTH	KGS/MTR
	44.45mm	6000mm	1.966
	50.80mm	6000mm	2.291
	63.50mm	6000mm	2.941
	76.20mm	6000mm	3.59
	80.00mm	6000mm	3.783
	88.90mm	6000mm	4.24
	101.6mm	6000mm	4.889
	114.3mm	6000mm	5.539
	127.0mm	6000mm	6.187
	139.7mm	6000mm	6.836
6.35mm	152.4mm	6000mm	7.882
	177.8mm	6000mm	9.278
	203.2mm	6000mm	10.625
	254.0mm	6000mm	13.385
7.11mm	168.3mm	6000mm	9.761
8.08mm	101.6mm	6000mm	6.44
8.56mm	114.3mm	6000mm	8.0466
8.00mm	150.0mm	6000mm	9.681
8.18mm	219.1mm	6000mm	14.698
9.52mm	50.80mm	6000mm	3.3483
	63.50mm	6000mm	4.378
	76.20mm	6000mm	5.408
9.53mm	88.90mm	6000mm	6.44
	114.3mm	6000mm	8.501
	127.0mm	6000mm	9.532

THICKNESS	WIDTH	LENGTH	KGS/MTR
	139.7mm	6000mm	10.561
	141.3mm	6000mm	10.701
	152.4mm	6000mm	11.592
10.0mm	76.2mm	6000mm	5.642
	80.0mm	6000mm	5.965
	101.6mm	6000mm	7.807
	160.0mm	6000mm	12.781
	170.0mm	6000mm	13.637
	200.0mm	6000mm	16.191
12.7mm	38.1mm	6000mm	2.748
	50.8mm	6000mm	4.123
	63.2mm	6000mm	5.498
	76.2mm	6000mm	6.872
	88.9mm	6000mm	8.24
	101.6mm	6000mm	9.623
	114.3mm	6000mm	10.997
	127.0mm	6000mm	12.371
	139.7mm	6000mm	13.745
	152.4mm	4880mm	15.118
	177.8mm	6000mm	17.868
	203.2mm	4880mm	20.618
	228.6mm	4880mm	23.178
	254.0mm	4880mm	26.119
19.05mm	127.0mm	4880mm	17.543
	152.4mm	4880mm	21.564

THICKNESS	WIDTH	LENGTH	KGS/MTR
	203.2mm	4880mm	29.605
	254.0mm	4880mm	38.457
	279.4mm	4880mm	42.246
20.0mm	150.0mm	5500mm	22.358
25.4mm	76.20mm	4880mm	11.133
	101.6mm	4880mm	16.561
	127.0mm	4880mm	21.973
	152.4mm	4880mm	27.512
	165.1mm	4880mm	30.209
	177.8mm	4880mm	33.203
	203.2mm	4880mm	38.482
	228.6mm	4880mm	43.652
	254.0mm	4880mm	49.277
	279.4mm	2440mm	54.656
	304.8mm	4880mm	60.418
50.8mm	228.6mm	4880mm	76.839
	254.0mm	3048mm	87.869

Custom & Indent Items:

Dimensions not listed above and items marked Indent are available via mill / works production on a made-to-order basis. Subject to minimum order quantities (MOQ).