




Aluminium Alloy Unequal Angle Bar 6061 & 6082 T6

Temper: H116 | H321 | H111 | H112

Certified to: ASTM B928 (G66/G67 Tested) with ABS, BV, DNV
and LR Cert.



Thickness1	Width1	Width2	Length	Kgs / Mtr
3.0mm	19.05mm	38.1mm	6000mm	0.426
	25.4mm	38.1mm	6000mm	0.461
	25.4mm	50.8mm	6000mm	0.595
	25.4mm	76.2mm	6000mm	0.801
	25.4mm	101.6mm	6000mm	0.941
4.5mm	38.1mm	50.8mm	6000mm	0.676
	38.1mm	63.5mm	6000mm	0.801
	38.1mm	76.2mm	6000mm	0.899
	38.1mm	101.6mm	6000mm	1.11
	50.8mm	63.5mm	6000mm	0.905
	50.8mm	76.2mm	6000mm	1.008
	50.8mm	101.6mm	6000mm	1.175
	25.4mm	50.8mm	6000mm	0.873
	38.1mm	50.8mm	6000mm	1.03
	38.1mm	63.5mm	6000mm	1.131
5.0mm	38.1mm	76.2mm	6000mm	1.34
	50.8mm	63.5mm	6000mm	1.393
	50.8mm	76.2mm	6000mm	1.495
	50.0mm	100.0mm	6000mm	1.965
	25.4mm	50.8mm	6000mm	1.141
6.0mm	25.4mm	76.2mm	6000mm	1.553
	38.1mm	50.8mm	6000mm	1.361
	38.1mm	63.5mm	6000mm	1.553
	50.8mm	63.5mm	6000mm	1.775

Thickness1	Width1	Width2	Length	Kgs / Mtr
	50.8mm	76.2mm	6000mm	1.983
	50.8mm	101.6mm	6000mm	2.395
	50.8mm	127.0mm	6000mm	2.796
	50.8mm	152.4mm	6000mm	3.208
	63.5mm	76.20mm	6000mm	2.189
	63.5mm	101.6mm	6000mm	2.61
	76.2mm	101.6mm	6000mm	2.953
	76.2mm	127.0mm	6000mm	3.39
	76.2mm	152.4mm	6000mm	3.622
	50.0mm	65.0mm	6000mm	2.328
9.53mm	50.8mm	76.2mm	6000mm	2.56
	75.0mm	100.0mm	6000mm	3.627
	50.8mm	76.2mm	6000mm	3.036
	50.8mm	101.6mm	6000mm	3.631
	50.8mm	127.0mm	6000mm	4.299
	50.8mm	152.4mm	6000mm	5.006
	50.8mm	177.8mm	6000mm	5.663
	76.2mm	101.6mm	6000mm	4.453
	76.2mm	127.0mm	6000mm	5.018
	76.2mm	152.4mm	6000mm	5.66
12.7mm	100.0mm	200.0mm	6000mm	7.886
	76.2mm	152.4mm	6000mm	7.393
	101.6mm	152.4mm	6000mm	8.2
	101.6mm	152.4mm	6000mm	8.406

Custom & Indent Items:

Dimensions not listed above and items marked Indent are available via mill / works production on a made-to-order basis. Subject to minimum order quantities (MOQ).